















**Proposed Plan**

# St John's Church, Scampton

## KEY




-  Stud partition formed with 75x50mm sw studs with head and sole plates, sole plate on dpc. Provide noggins as required. Clad internal face with 12.5mm foil backed plasterboard with taped joints and skim finish. Externally clad with oak panelling as detailed.
-  Line the existing wall with 50x50mm sw studs with head and sole plates, sole plate on dpc. Provide noggins as required. Clad with 12mm but jointed oak veneered plywood with secret fixings. Allow for providing ventilation gaps to the top and bottom of the wall.
-  HPL duct system to conceal the pipe work with moveable access panels. Colours to be confirmed.
-  New 50mm thick Ancaster Hard White stone flooring laid on 30mm lime mortar bed over 100mm TyMawr Lime Screed with a Geotextile Layer and 150mm TyMawr Insulating Hardcore

## ELECTRICAL

-  Smoke Detector  
Basic fire alarm system to BS 5839 Part1 2002 to be designed and installed by specialist sub contractor. Test certificate to be provided on completion.
-  Extract Fan
-  Fused spur outlet
-  13amp Double socket outlet
-  Recessed down light (Brushed)  
(E= maintained emergency fitting)
-  Wall light fitting  
(E= maintained emergency fitting)
-  Single light switch
-  Single light switch with pull chord
-  New distribution board with 15% spare capacity
-  To disabled WC allow for providing disabled alarm system with external light and reset panel.

## Designer Risks

As outlined in section 2.3 of the CIBB Industry Guidance to Designers, insignificant risks can usually be ignored, as can risks arising from routine construction activities, unless the design compounds or significantly alters these risks. In accordance with CDM Regulations 8, 9 and 11, any significant risks relating to the design features shown on this drawing have been identified and are annotated thus:

-  Use to warn of significant Design Risks and site Hazards
-  Use to avoid or prevent a particular action
-  Use to encourage a particular action

REVISION/DRAWN	DATE	DESCRIPTION	SCALE	A1	1:20	DATE	JUNE20
CLIENT	Scampton PCC			DRAWN	CDG	CHECKED	
PROJECT	St John the Baptist - Reordering			REFERENCE	9101	252	
TITLE	Proposed Tower Plan			T:	01909 500710		
			E:	contact@soularchitects.co.uk			
			W:	www.soularchitects.co.uk			

**soul architects**

© ALL RIGHTS RESERVED. REPORT ALL DISCREPANCIES PLEASE DO NOT SCALE. CHECK ALL DIMENSIONS ON SITE. REGISTERED IN ENGLAND AND WALES. REGISTERED ADDRESS: SOUL ARCHITECTS LIMITED 13 SPARKENHILL, WORKSOP, NOTTINGHAMSHIRE, S80 1AX. COMPANY NO. 05991963